

**AMENDMENTS****In the Claims**

1. (Currently Amended) A process for enabling multiple programmers to modify behavior of an object executing on a computer system concurrently, the process comprising:  
identifying a first method and a second method to be performed on an object, wherein the object corresponds to an instantiation of a class;  
developing the first method in a first application having a first subclass of the class, wherein a first application-specific object is an instantiation of the first subclass;  
~~and~~  
concurrently developing the second method in a second application having a second subclass of the class, wherein a second application-specific object is an instantiation of the second subclass;  
modifying the first method, the modifying the first method not affecting the second method; and,  
modifying the second method, the modifying the second method not affecting the first method.
2. (Original) The process of claim 1 further comprising:  
invoking the first method, wherein the invoking the first method on the first application-specific object such that the object communicates as if the first method were performed on the object.
3. (Original) The process of claim 1 further comprising:  
invoking the second method, wherein the invoking the second method on the second application-specific object such that the object communicates as if the second method were performed on the object.
4. (Canceled)
5. (Canceled)

6. (Currently Amended) A process for enabling multiple programmers to modify behavior of an object executing on a computer system concurrently, the process comprising:  
defining an abstract class for an object, the abstract class comprising:  
a first method calling a first application; and  
a second method calling a second application;  
developing the first method in a first subclass of the abstract class in the first application;  
and  
developing the second method in a second subclass of the abstract class in the second application;  
modifying the first method, the modifying the first method not affecting the second method; and,  
modifying the second method, the modifying the second method not affecting the first method.

7. (Currently Amended) A system for enabling multiple programmers to modify behavior of an object executing on a computer system concurrently, the system comprising:  
an object corresponding to an instantiation of a class;  
a first application having a first subclass of the class, wherein  
a first application-specific object is an instantiation of the first subclass;  
the first subclass comprises a first method comprising a first behavior of the first application-specific object; and  
the first behavior of the first application-specific object corresponds to a first behavior of the object;  
a second application having a second subclass of the class, wherein  
a second application-specific object is an instantiation of the second subclass;  
the second subclass comprises a second method comprising a second behavior of the second application-specific object; and  
the second behavior of the second application-specific object corresponds to a second behavior of the object;  
modifying the first method does not affect the second method; and,  
modifying the second method does not affect the first method.

8. (Previously Presented) The system of claim 7 wherein invoking the first method performs the first method on the first application-specific object such that the object communicates as if the first method were performed on the object.
9. (Previously Presented) The system of claim 7 wherein invoking the second method performs the second method on the second application-specific object such that the object communicates as if the second method were performed on the object.
10. (Canceled)
11. (Canceled)
12. (Currently Amended) A computer program product comprising:  
programming environment instructions for providing a programming environment comprising:  
identifying instructions to identify a first method and a second method to be performed on an object; wherein  
the object corresponds to an instantiation of class;  
developing instructions to develop the first method in a first application having a first subclass of the class wherein a first application-specific object is an instantiation of the first subclass;  
concurrent developing instructions to concurrently develop the second method in a second application having a second subclass of the class, wherein a second application-specific object is an instantiation of the second subclass;  
and  
a computer-readable medium to store the programming environment instructions, the identifying instructions, the developing instructions, and the concurrent developing instructions; wherein  
modifying the first method does not affect the second method; and  
modifying the second method does not affect the first method.

13. (Previously Presented) The computer program product of claim 12 wherein invoking the first method performs the first method on the first application-specific object such that the object communicates as if the first method were performed on the object.
14. (Previously Presented) The computer program product of claim 12 wherein invoking the second method performs the second method on the second application-specific object such that the object communicates as if the second method were performed on the object.
15. (Canceled)
16. (Canceled)
17. (Currently Amended) A process for enabling multiple programmers to concurrently modify behavior of an object within a domain application of a factory system, the process comprising:
- identifying a first method and a second method to be performed on an object, the object corresponding to an instantiation of a class, the object providing functionality to the factory system;
  - developing the first method in a first domain application having a first subclass of the class, wherein a first domain application-specific object is an instantiation of the first subclass; and
  - concurrently developing the second method in a second domain application having a second subclass of the class, wherein a second domain application-specific object is an instantiation of the second subclass;
  - modifying the first method, the modifying the first method not affecting the second method; and,
  - modifying the second method, the modifying the second method not affecting the first method.
18. (Previously Presented) The process of claim 17 further comprising:

invoking the first method, wherein the invoking the first method on the first domain application-specific object such that the object communicates as if the first method were performed on the object.

19. (Currently Amended) The process of claim 17 further comprising:  
invoking the second method, wherein the invoking the second method on the second domain application-specific object such that the object communicates as if the second method were performed on the object.

20. (Canceled)

21. (Canceled)

22. (Previously Presented) The process of claim 17 wherein:  
the object includes a data field object identifier;  
the first subclass includes a first subclass data field object identifier;  
the second subclass includes a second subclass data field object identifier; and  
the first subclass data field object identifier and the second subclass data field object identifier are inherited from the data field object identifier by each respective subclass.